

**2021 International Workshop on New Domain Technology of  
Ferroelectric Materials and Their Applications**  
(FULL VIRTUAL)

**PROGRAM**

Jan. 23, 2021 (JK/KE time)

8:00 I-1

Domain engineering effect of alternating current poling with different frequency on PMN-0.3PT single crystals

Chengtao Luo, Haotian Wan, Wei-Yi Chang, Yohachi Yamashita, Alisa R. Paterson, Jacob Jones, and Xiaoning Jiang

North Carolina State University, USA

8:18 O-1

Factors influencing piezoelectric properties of relaxor-based ferroelectric crystals using AC poling

Junjie Xiong, Canhuang Hong, Lin Guo, Xifa Long, and Chao He

Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, China

8:30 O-2

Unravel the mystery of a.c. poling on relaxor-PbTiO<sub>3</sub> crystals

Chaorui Qiu, Bo Wang, Nan Zhang, Shujun Zhang, Jinfeng Liu, T. R. Shrout, Long-Qing Chen, Zhuo Xu, and Fei Li

Xi'an Jiaotong University, China

8:42 O-3

Analysis of domain structure for PMN-0.28PT single crystal

Jinhui Fan, Xiaoyan Lu, and Wenwu Cao

Harbin Institute of Technology, China.

9:00 I-2

Effects of multiple steps AC poling on electrical properties of (1-x)Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-xPbTiO<sub>3</sub> single crystal

Tsubasa Sato, Yu Sakano, and Shinichi Abe

Tayca. Corp., Japan

9:18 O-4

The influence of oxygen vacancies on piezoelectricity in samarium-doped Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-PbTiO<sub>3</sub> ceramics

Yang Li, Marcell Borbely, and Andrew Bell

University of Leeds, U.K.

9:30 O-5

Unusual piezoelectric properties caused by AC poling using square wave for Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-PbTiO<sub>3</sub> single crystals transducer

Yiqin Sun, Tomoaki Karaki, John Yamashita, and Tadashi Fujii

Toyama Prefectural University, Japan

9:42 O-6

High temperature and low voltage AC poling for  $0.24\text{Pb}(\text{In}_{1/2}\text{Nb}_{1/2})\text{O}_3$ - $0.46\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $0.30\text{PbTiO}_3$  single crystals manufactured by continuous-feeding Bridgman method

Cong Luo, Tomoaki Karaki, Yohachi Yamashita, and Jiayue Xu  
Shanghai Institute of Technology, China

10:00 I-3

Impact of alternating current poling on the piezoelectric and dielectric properties of Mn-doped  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{PbTiO}_3$  single crystals grown by a solid-state crystal growth (SSCG) technique

Hwang-Pill Kim, Geon-Ju Lee, Sang-Goo Lee, Ho-Yong Lee, and Wook Jo  
Ulsan National Institute of Science and Technology, Korea

10:18 O-7

Superior piezoelectric performance in relaxor ferroelectric single crystals under AC polarization and its application in transducers

Jialin Xu, Zhang Zhang, Sixing Liu, Junjie Xiao, Xian Wang, Di Lin, Jie Jiao, and Haosu Luo  
Shanghai Institute of Ceramics, Chinese Academy of Sciences, China

10:30 O-8

Characterization of ultrasound transducers consisting of alternating current poled PMN-PT single crystals

Haotian Wan, Howuk Kim, Huaiyu Wu, Chengtao Luo, and Xiaoning Jiang  
North Carolina State University, USA

10:42 O-9

Poling effect on the electrostrictive and piezoelectric response in  $\text{CH}_3\text{NH}_3\text{PbI}_3$  single crystals

Weiwei Li, Zhenyong Man, Jiangtao Zeng, Liaoying Zheng, Guorong Li, and Abdelhadi Kassiba  
Shanghai Institute of Ceramics, Chinese Academy of Sciences, China

11:00 I-4

Ultrafast structural dynamics of polar vortices in ferroelectric superlattices

Qian Li  
Tsinghua University, China

11:18 O-10

Toward van der Waals growth of flexible ferroelectric  $\text{BaTiO}_3$  thin films on graphene

Liyan Dai, Jinyan Zhao, Huifeng Zhao, Yiwei Liu, Yankun Wang, Yijun Zhang, Heping Wu, Lingyan Wang, Daniel Pfütznerreuter, Jutta Schwarzkopf, Catherine Dubourdieu, Thomas Schroeder, Zuo-Guang Ye, Ya-Hong Xie, Wei Ren, and Gang Niu

Xi'an Jiaotong University, China

11:30 O-11

Simultaneously achieved high energy storage density and efficiency in sol-gel-processed (K,Na) $\text{NbO}_3$ -based lead-free ferroelectric films

Yu Huang, Liang Shu, Suwei Zhang, Zhen Zhou, Yue-Yu-Shan Cheng, Biaolin Peng, Lisha Liu, and Jing Feng Li

Tsinghua University, China

11:42 O-12

Giant domain wall conductivity in self-assembled  $\text{BiFeO}_3$  nanocrystals

Lisha Liu, Kun Xu, Qian Li, John Daniels, Hua Zhou, Jiangyu Li, Jing Zhu, Jan Seidel, Jing-Feng Li

Tsinghua University, China

12:00 I-5

Ferroelectric domain and its signature on structural phase transition in van der Waals  $\text{CuInP}_2\text{S}_6$

Xueyun Wang, Jianming Deng, and Jiawang Hong

Beijing Institute of Technology, China

12:18 O-13

Large piezoelectriclike response from inhomogeneously deformed silicon crystals

Dongxia Tian, Yu Hou, Qi Pan, and Baojin Chu

University of Science and Technology of China, China

12:30 O-14

Large piezoelectric strain with superior thermal stability of lead-free potassium sodium niobate-based grain orientation-controlled ceramics for high frequency ultrasonic transducer application

Yi Quan, Wei Ren, Chunlong Fei, Lingyan Wang, Gang Niu, Jinyan Zhao, Jian Zhuang, Junshan Zhang, Zuo-Guang Ye, and Tomoaki Karaki

Xi'an Jiaotong University, China

12:42 O-15

Mesoscale origin of dielectric relaxation with superior electrostrictive strain in bismuth ferrite-based ceramics

Ting Zheng and Jiagang Wu

Sichuan University, China

13:00 I-6

Evolution of mesoscopic domain structure and macroscopic properties in lead-free  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-BaTiO}_3$  ferroelectric ceramics

Jinyan Zhao, Nan Zhang, Yi Quan, Gang Niu, Wei Ren, Zhe Wang, Kun Zheng, and Zuo-Guang Ye

Xi'an Jiaotong University, China

13:18 O-16

Solvothermal reaction and piezoelectric response of oriented  $\text{KNbO}_3$  polycrystal

Dandan Yang, Yan Wang, Lijie Li, Minggang Yao, Wenxiong Zhang, Hongxi Gu, Sheng Zhang, Mingjin Fan, Galhenage Asha Sewvandi, and Dengwei Hu

Baoji University of Arts and Sciences, China

13:30 O-17

High energy density and excellent thermal stability in  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-NaTaO}_3$  lead-free ceramic capacitors

X. F. Zhou, H. Qi, Z. N. Yan, G. L. Xue, H. Luo, and D. Zhang

Central South University, China

13:18 O-18

Synergic modulation of the multi-scale structures on the energy storage properties of silver niobate-based ceramics

Jing Wang, Yu Rao, Xuhui Fan, Jin Zhang, Lei Zhao, Kongjun Zhu

Nanjing University of Aeronautics and Astronautics, China

Short-presentation session will be opened from 20:00 of Jan. 20 to 20:00 of 22 (48 hours)

SP-1

Achieving high piezoelectric performances with enhanced domain-wall contributions in <001>-textured Sm-modified PMN-29PT ceramics

Kun Zheng, Yi Quan, Jian Zhuang, Jinyan Zhao, Wei Ren, Lingyan Wang, Zhe Wang, Gang Niu, Chunlong Fei, Zhishui Jiang, and Li Wen

Xi'an Jiaotong University, China

SP-2

Effect of AC and DC poling on aging rate of  $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-x\text{PbTiO}_3$  single crystal

Zhuangkai Wang, Yiqin Sun, Tomoaki Karaki, John Yamashita, and Tadashi Fujii

Toyama Prefectural University, Japan

SP-3

Temperature dependence and formation mechanism of irreversible domains for relaxor ferroelectric PZNT single crystals

Jiayue Xu, Cong Luo, Xuxiang Li, Jun Qian, Tian Tian, and Hui Shen

Shanghai Institute of Technology, China

SP-4

Multiscale domain structures and ferroic properties of Dy-modified  $\text{BiFeO}_3\text{-PbTiO}_3$  single crystal

Zhuohua Tang, Jian Zhuang, Alexei A. Bokov, Zeng Luo, and Stanislav P.

Xi'an Jiaotong University, China

SP-5

Investigation on triple hysteresis loop and volatile domain in  $\text{PbZrO}_3$  thin film by piezoresponse force microscopy

Huimin Qiao, Fangping Zhuo, Yunseok Kim

Sungkyunkwan University, Korea

SP-6

A statistical modeling for describing dielectric response of ferroelectric relaxors

Laijun Liu and Dawei Wang

Guilin University of Technology, China

SP-7

Organic-inorganic homogeneous coupling nanocomposite films with high energy storage density

Yao Su, Bo Zhao, Cheng Chen, Yan Wang, Minggang Yao, Dengwei Hu

Baoji University of Arts and Sciences, China

SP-8

Giant strain in  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-BaTiO}_3\text{-NaNbO}_3$  lead-free piezoelectric ceramics

Zhe Wang, Jinyan Zhao, Kun Zheng, Wei Ren, Jian Zhuang, Lingyan Wang, and Yi Quan

Xi'an Jiaotong University, China

SP-9

Bismuth titanate oriented polycrystal nanocomposites with discontinuous-zone-axis conversion

Yan Wang, Dandan Yang, Minggang Yao, Lijie Li, Zhuonan Huang, Wenxiong Zhang, Yinfeng Han, Galhenage Asha Sewvandi, Qi Feng, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-10

3D printing of BaTiO<sub>3</sub>-based piezoelectric ceramic materials

Cheng Chen, Xi Wang, Yan Wang, Dandan Yang, Fei Jing, Lijie Li, Minggang Yao, Lei Miao, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-11

Controllable preparation of two-dimensional oriented BaTiO<sub>3</sub> polycrystals from K<sub>0.8</sub>Ti<sub>1.73</sub>Li<sub>0.27</sub>O<sub>4</sub> crystals by one-step solvothermal process

Lijie Li, Minggang Yao, Fei Jing, Lei Miao, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-12

BaTiO<sub>3</sub> thin films prepared by magnetron sputtering process

Xi Wang, Cheng Chen, Dandan Yang, Lijie Li, Lei Miao, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-13

High-performance flexible piezoelectric nanogenerator based on 2D mesocrystals

Minggang Yao, Lijie Li, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-14

Preparation and structural characterization of Na<sub>2</sub>Ti<sub>4</sub>O<sub>9</sub> nanowires via solvothermal process

Fei Jing, Lijie Li, Minggang Yao, Lei Miao, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-15

Ferroelectric SrTiO<sub>3</sub>/CaTiO<sub>3</sub> nanocomposite via topochemical mesocrystal conversion

Lei Miao, Fang Kang, Zhen Zhang, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-16

Piezo- and pyroelectric energy harvesting for chemical applications

Yan Zhang, James Roscow, Hamideh Khanbareh, Pham Thi Thuy Phuong, Steve Dunn, Dou Zhang, Kechao Zhou, and Chris Bowen

Central South University, China

SP-17

PVDF-based flexible nanocomposite piezoelectric sensors

Bo Zhao, Yao Su, Xi Wang, Dandan Yang, Lijie Li, and Dengwei Hu

Baoji University of Arts and Sciences, China

SP-18

Relaxor-like dielectric behavior and its effect on energy storage performance in P(TFE-HFP-VDF) terpolymers

KeWang Yi, Jie Liu, Yang Zhou, XinPing Hu, ShiHai Zhang, and BaoJin Chu

University of Science and Technology of China, China

SP-19

Interface-engineered reliable single-layer HfO<sub>2</sub>-based RRAM electronic synapse

Qiang Wang, Gang Niu, Yankun Wang, Ren Luo, Heping Wu, Shijie Zhai, Wei Bai, and Wei Ren  
Xi'an Jiaotong University, China